


**PLATE PARAMETERS**

Name	X	Y	Z	Length	Depth Extent	Dip	Dip Dir.	Plunge	Cond-Th.
Upper Shoot	10010	10160	-180	600	400	22.5	270	0	200
Lower Shoot	10230	10035	-450	400	200	90	90	0	150



**SURVEY PARAMETERS**

Configuration : Downhole  
 Station Spacing : 25 m  
 Components : A (Black), U (Blue), V (Green)  
 Rx Area : 10000 turn-m  
 Loop : Loop 1  
 Tx Moment : 10000 turn-m

**WINDOW TIMES (msec)**

1	: 0.1000	13	: 1.3404	25	: 17.9681
2	: 0.1241	14	: 1.6641	26	: 22.3070
3	: 0.1541	15	: 2.0660	27	: 27.6936
4	: 0.1913	16	: 2.5649	28	: 34.3809
5	: 0.2375	17	: 3.1842	29	: 42.6830
6	: 0.2949	18	: 3.9531	30	: 52.9898
7	: 0.3661	19	: 4.9077	31	: 65.7855
8	: 0.4545	20	: 6.0928	32	: 81.6711
9	: 0.5643	21	: 7.5640	33	: 101.3926
10	: 0.7005	22	: 9.3905	34	: 125.8764
11	: 0.8697	23	: 11.6581	35	: 156.2723
12	: 1.0797	24	: 14.4732		



ElectroMagnetic Imaging Technology P/L

Demonstration Prospect  
 Downhole EM Survey  
**3D VIEW**  
**OF SYNTHETIC MODELLING**  
**WITH PRIMARY FIELD**

Drawn: AD	Date: 10 March 2000
Job No. : 444	Cost Code: 444